

Pasifik Medikal

' EXPERIENCE FOR INNOVATION '



Pasifik
Grup

www.pasifikmedikal.com

HEADQUARTER : Pasifik Medikal A.Ş.
Gazi Mahallesi Yavuz Kanat Sokak No:34
Yenimahalle /ANKARA - TURKEY
Tel :+90 312 211 12 32
Fax :+90 312 211 12 33
e-mail :info@pasifikmedikal.com

FACTORY : Pasifik Medikal A.Ş.
Ostim OSB. 1175. Sokak No:22
Yenimahalle /ANKARA - TURKEY



Conformité Européenne

ISO13485

PasifikMedikal

CONTENT

4	2.0 mm PMG Faroz Locking Plates
5-6	2.7 mm PMG Sotka Locking Plates
7-9	3.5 mm PMG Ortodrom Locking Plates
10-11	4.5 mm PMG Loksodrom Locking Plates
12-13	PMG Intramedular Nail System
14	PMG Screws
15	PMG Posterior Spinal System
16-17	PMG ACL/PCL Repair Implants
18	Repair Of Soft Tissue Fixation System
19	Bone Cement / Lavage System



Ankara (head office)



Factory



Pasifik Grup consists of the following 4 companies:

Pasifik Medikal
Armoni Tıbbi Ürünler
Aksis Sağlık Gereçleri
Travmed

Our company was established in Antalya in 2004. In the past ten years Pasifik Grup has been growing with its experienced team, being innovative and keeping the competition power in the highest level and now we cover 100 % of the local market. Pasifik Grup gained a place for itself in markets with qualified, technological products, continues to produce different and new products in each passing day and to improve its technology. We give the best service as if we serve for ourselves.

MARKET CAPABILITIES

Pasifik Medikal: our first company which is dealing with spine business and bone substitutes.

Armoni Medikal: makes reconstruction business such as knee, hip, shoulder and revisions joint prosthesis and also deals with some power tools and saw blades.

Aksis Sağlık Gereçleri: is the biggest allograft supplier of Turkish market.

Travmed: is sports medicine company dealing with ACL, tendon and shoulders in arthroscopy area.

OUR BRANCHES IN TURKEY

- Ankara (head office)
- Istanbul European office
- Istanbul Asian office
- Izmir
- Bursa
- Eskişehir
- Samsun
- Trabzon
- Konya
- Adana
- Yozgat
- Urfa

Our main products are :


Travma Products: bone plates, nails, screws.

Arthroplasty : hip, knee, shoulder and revisions joint prosthesis.

Bone Substitutes

Spinal Products : cages, screws, graft.

Arthroscopy : Femoral Cortex Implant (Endobutton), Femoral Fixation Implant, Titanium Interference Screw, Ligament 'U' staple, Titanium Suture Anchor (with/without needle), ACL and PCL implant helping items (passing pin, nitinol guide wire, flexible wire).



2.0 mm Straight Plate
4-10 hole
Titanium



2.0 mm Reconstruction Plate
4-10 hole
Titanium



2.0 mm L plate
4-8 hole (L/R)
Titanium



2.0 mm T Plate
4-8 hole
Titanium



2.0 mm Oblique L Plate
4-8 hole (L/R)
Titanium



2.7 mm Valgus Plate
6-7 hole (L/R)
Titanium



2.7 mm Valgus Oblique T Plate
4-5 hole (L/R)
Titanium




2.7 mm Z Plate
4-5-6
Titanium



2.7 mm X Plate
Titanium





2.7 mm Straight Plate
4-10 hole
Titanium



2.7 mm 1/4 Tubular Plate
4-10 hole
Titanium



2.7 mm Reconstruction Plate
4-10 hole
Titanium



2.7 mm L Plate
4-8 hole
Titanium



2.7 mm Oblique L Plate
4-8 hole
Titanium



2.7 mm H Plate
Titanium




2.7 mm T Plate
4-8 hole
Titanium



Distal Fibula Curved Plate
4-16 hole
Titanium



Distal Fibula Straight Plate
3-9 hole
Titanium



Anatomical Distal Fibula Plate
3-9 hole (L/R)
Titanium



Distal Fibula Hook Plate
3-9 hole (L/R)
Titanium




Calcaneus Plate
11-12-13 hole
Titanium





3.5 mm Straight Plate
4-16 hole
Titanium



1/3 Tubular Plate
4-16 hole (L/R)
Titanium



3.5 mm Reconstruction Plate
4-16 hole
Titanium



Clavicle Plate S Type
6-7-9 hole (L/R)
Titanium




Distal Clavicle Plate
4-6-8 hole (L/R)
Titanium



Clavicle Hook Plate
4-6-8 hole (L/R)
Titanium

Proximal Humeral Plate
3-14 hole
Titanium



Distal Medial Humeral Plate
3-12 hole
Titanium



Olecranon Plate
3-10 hole
Titanium



Distal Lateral Humeral Plate
3-12 hole (L-R)
Titanium



Distal Radius Volar Large
3-8 hole (L/R)
Titanium



0137- Distal Radius Volar Small
3-8 hole (L-R)
Titanium





Distal Lateral Femoral Plate
5-13 hole (L/R)
Titanium



Proximal Lateral Femoral Plate
5-13 hole (L/R)
Titanium



Proximal Lateral Tibial Plate
5-13 hole (L/R)
Titanium




Distal Medial Tibial Plate
4-12 hole (L/R)
Titanium




Anterolateral Distal Tibial Plate
4-12 hole
Titanium



4.5 mm Broad Plate
6-16 hole
Titanium



4.5 mm Narrow Plate
6-16 hole
Titanium



4.5 mm L Plate
3-8 hole (L/R)
Titanium



4.5 mm T Plate
3-8 hole
Titanium



4.5 mm Curved T Plate
3-8 hole
Titanium



4.5 mm Reconstruction Plate
6-14 hole
Titanium





Cannulated Tibial Nail
Ø8-9-10-11-12 mm
L=240-420 mm
L/R
Titanium



Cannulated Femoral Nail
Ø10-11-12-13-14 mm
L=300-440 mm
L/R
Titanium



Cannulated Humeral Nail
Ø7-8-9-10 mm
L=180-320 mm
Titanium



Femoral Neck Screw
L=65- 120 mm
Titanium



Cannulated Proximal Femoral Nail
125°/135°
Ø10-11-12-13 mm
L=175-255 mm
Titanium

4.5 mm Locking Screw
L= 25-90 mm
Titanium



4.0 mm Locking Screw
L= 20-80 mm
Titanium



6.5 mm Neck Locking Screw
L= 50-120 mm
Titanium



5.0 mm Locking Screw
L= 25-100 mm
Titanium



Proximal Femoral Nail End Cap
L= 5-10-15 mm
Titanium



Set Screw
L= 23-28 mm
Titanium



Femoral Neck Screw End Cap
Titanium



Humeral Nail End Cap
L= 0-5-10-15
Titanium




Femoral Tibial Nail End Cap
L= 0-5-10-15-20
Titanium





PMG Headless Titanium Screw

Ø 2.5 mm L = 10-35 mm
Ø 3.0 mm L = 14-50 mm
Ø 4.0 mm L = 20-70 mm
Ø 5.0 mm L = 26-80 mm



PMG Cannulated Titanium Screw

Ø 2.5 mm L = 16-50 mm
Ø 3.5 mm L = 20-60 mm
Ø 4.0 mm L = 20-70 mm
Ø 4.5 mm L = 20-80 mm
Ø 5.5 mm L = 30-100 mm
Ø 6.5 mm L = 30-120 mm
Ø 7.3 mm L = 40-130 mm



PMG Cancellous Locking Titanium Screw

Ø 3.5 mm L = 14-90 mm
Ø 4.0 mm L = 18-90 mm
Ø 4.5 mm L = 20-120 mm
Ø 5.5 mm L = 35-130 mm
Ø 6.5 mm L = 35-130 mm
Ø 7.3 mm L = 35-130 mm



Compression Titanium Screw

Ø 2.4 mm L = 8-35 mm
Ø 3.4 mm L = 12-50 mm
Ø 4.4 mm L = 20-60 mm
Ø 5.4 mm L = 20-60 mm
Ø 6.4 mm L = 24-80 mm



PMG Cancellous Titanium Screw

Ø 3.5 mm L = 14-90 mm
Ø 4.0 mm L = 18-90 mm
Ø 4.5 mm L = 20-120 mm
Ø 5.5 mm L = 35-130 mm
Ø 6.5 mm L = 35-130 mm
Ø 7.3 mm L = 35-130 mm



PMG Cortical Locking Titanium Screw

Ø 1.5 mm L = 6-16 mm
Ø 2.0 mm L = 8-30 mm
Ø 2.7 mm L = 8-50 mm
Ø 3.5 mm L = 10-90 mm
Ø 4.5 mm L = 16-100 mm



PMG Cortical Titanium Screw

Ø 1.5 mm L = 6-16 mm
Ø 2.0 mm L = 8-30 mm
Ø 2.7 mm L = 8-50 mm
Ø 3.5 mm L = 10-90 mm
Ø 4.5 mm L = 16-100 mm



PMG Expandable PLIF Cage
 0 °/6 °
 L= 24-27 mm,
 W= 9.5-11 mm,
 H= 9-13 mm
 Titanium/Peek




PMG ACIF Cage
 L=12 mm, W=14 mm, H= 4- 8 mm
 L=13 mm, W= 15 mm, H= 4-8 mm
 Titanium/Peek
 EBM (Electron beam melting) technology available upon request



PMG Pedicle Screw
 Polyaxial/Monoaxial
 Ø3.5- Ø8.5 mm
 Titanium



PMG ACIF Cage
 L=12 mm, W=14 mm, H= 4- 8 mm
 L=13 mm, W= 15 mm, H= 4-8 mm
 Titanium/Peek
 EBM (Electron beam melting) technology available upon request



PMG Cannulated Pedicle Screw
 Polyaxial/Monoaxial
 Ø5.5- Ø8.5 mm
 Titanium

PMG PLIF Cage
 0 °/4 °/8 °
 L=23/26 mm, W=10 mm, H= 7-13 mm
 Titanium/Peek
 EBM (Electron beam melting) technology available upon request



PMG Set Screw
 Ø 10 mm H=4 mm
 Titanium



PMG 5.5 Rod
 L=40-700 mm
 Titanium



PMG Pedicle Hook
 Polyaxial/Monoaxial
 Dimensions: 7x5-9x5-11x5
 7x7-9x7-11x7
 Titanium





PMG Laminar Hook
 Polyaxial/Monoaxial
 Dimensions: 7x5-9x5-11x5
 7x7-9x7-11x7
 Titanium



PMG Transverse Connector
 Dimensions: 45-55-65-70-75
 Titanium



PMG-FIBER Suture USP 2




PMG Cancellous Screw Titanium

	L 20 mm	L 25 mm	L 30 mm	L 35 mm	L 40 mm	L 45 mm	L 50 mm	L 55 mm	L 60 mm	L 65 mm	L 70 mm
Ø4,5mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Ø6,5mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓



PMG Clip Washer Titanium

Ø14mm	Ø17mm	Ø20mm	Ø21mm
-------	-------	-------	-------



PMG Ligament Staple Titanium


Ø6mm	Ø7mm	Ø8mm	Ø9mm	Ø11mm	Ø12mm
------	------	------	------	-------	-------

PMG Titanium Interference Screw


	L 20 mm	L 23 mm	L 25 mm	L 28 mm	L 30 mm	L 35 mm
Ø 6 mm	✓	✓	✓	✓	✓	
Ø 7 mm	✓	✓	✓	✓	✓	
Ø 8 mm	✓	✓	✓	✓	✓	
Ø 9 mm	✓	✓	✓	✓	✓	
Ø 10 mm	✓	✓	✓	✓	✓	✓
Ø 11 mm	✓	✓	✓	✓	✓	✓

PMG Button Femoral Fixation - Titanium

Ø15mm	Ø20mm	Ø25mm	Ø30mm	Ø35mm	Ø40mm	Ø45mm	Ø50mm	Ø55mm	Ø60mm	Ø65mm
-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------



PMG Guide And Nitinol




PMG Femoral Fixation System - Titanium

Ø30mm	Ø35mm	Ø40mm	Ø45mm	Ø50mm	Ø55mm	Ø60mm	Ø65mm
-------	-------	-------	-------	-------	-------	-------	-------



PMG Nitinol Guide




PMG Passing Guide



PMG Peek Interference Screw

	L 20 mm	L 23 mm	L 25 mm	L 28 mm	L 30 mm	L 35 mm
Ø 6 mm	✓	✓	✓	✓	✓	
Ø 7 mm	✓	✓	✓	✓	✓	
Ø 8 mm	✓	✓	✓	✓	✓	
Ø 9 mm	✓	✓	✓	✓	✓	
Ø 10 mm	✓	✓	✓	✓	✓	✓
Ø 11 mm	✓	✓	✓	✓	✓	✓



REPAIR OF SOFT TISSUE FIXATION SYSTEM

Impetuous Suture Anchor Titanium With Needles

- 2,0 mm SUTURE ANCHOR TITANIUM DOUBLE WITH NEEDLES
- 3,5 mm SUTURE ANCHOR TITANIUM DOUBLE WITH NEEDLES
- 5,0 mm SUTURE ANCHOR TITANIUM DOUBLE WITH NEEDLES

Impetuous Suture Anchor Titanium Without Needles

- 2,0 mm SUTURE ANCHOR TITANIUM DOUBLE WITHOUT NEEDLES
- 3,5 mm SUTURE ANCHOR TITANIUM DOUBLE WITHOUT NEEDLES
- 5,0 mm SUTURE ANCHOR TITANIUM DOUBLE WITHOUT NEEDLES





Radiopaque Bone Cement
20, 40, 60 gr
Low/Standart Viscosity
With/Without Antibiotic

PMG Disposable Lavage System

Weight(gr)	210
Flow(ml/min)	1200ml High Speed/600 ml Low Speed
Power	8 x 1.2 v Cell





HEADQUARTER : Pasifik Medikal A.Ş.
Gazi Mahallesi Yavuz Kanat Sokak No:34
Yenimahalle /ANKARA - TURKEY
Tel :+90 312 211 12 32
Fax :+90 312 211 12 33
e-mail :info@pasifikmedikal.com

FACTORY :
Pasifik Medikal A.Ş.
Ostim OSB. 1175. Sokak No:22
Yenimahalle /ANKARA - TURKEY

w w w . p a s i f i k m e d i k a l . c o m